


*This Damen tugboat is suitable for towing, mooring, anchor handling and firefighting operations.*

Type	DAMEN Stan Tug 2207	
Built	8-2000	
Dimensions	22.50 x 7.25 x 3.75 m	
Draft	3.30 m aft	
Propulsion	Twin screw in nozzles	
Main engines	2x Caterpillar, type 3512B TA/B	
Output	3000 bhp (zie bp cert)	
Gearboxes	2x Reintjes, type WAF 663/5.57:1	
Speed	± 12 knots	
Bollard pull	± 34 mtonnes	
Tonnage	GRT 122 / NRT 43	
Deck equipment	Anchor winch 10 m/min. Capstan 3 tonnes, 10 m/min. Towing hook SWL 450 kN / 45.9 tonf Towing winch 20 tonnes, 10 m/min. Stern roller SWL 30 tonnes	
Aux. engines	2x Caterpillar, type 3304 NA/SR 4	
Output	81 kVA each, 60 Hz, 220V	
Fifi engine	Caterpillar, type 3304 T	
Fifi pump	1x Sihi Nowa 12540	
Fifi capacity	1x 300 m <sup>3</sup> /hr, 10 bar	
Tank capacities	Fuel oil	34.9 m <sup>3</sup>
	Fresh water	9.2 m <sup>3</sup>
	Ballast	3.8 m <sup>3</sup>
	Sewage	1.2 m <sup>3</sup>
	Foam	2.5 m <sup>3</sup>
	Lub oil	1.5 m <sup>3</sup>
Accommodation	Living spaces for 7 persons, consisting of a captain's cabin, two officer's cabins, one crew cabin for 4 persons, galley/mess-room, store and sanitary facilities.	
Nav./comm. equipment	Radar, GPS, echo sounder, 2x VHF, SSB	
Class	Lloyds Register of Shipping ✕100 A1 Tug Unrestricted Service LMC	



































































Cubierta Superior



Cubierta Principal



Cubierta Timonera



Bajo Cubierta Principal

