DAMEN FAST CREW SUPPLIER 2610

Multipurpose Damen Fast Crew Supplier 2610, completely fitted out for 50 passengers transport to and from offshore windfarms.

This CTV has been kept in very good condition and is immediately available.

Type DAMEN Fast Crew Supplier 2610

Built 2013

Dimensions 25.75 x 10.40 m Draft 2.20 m draft

Hull material Aluminium both hull and superstructure

Displacement 90 tonnes (50% consumables)

GRT 81.58 tonnes

Propulsion 2x Fixed pitch propellers
Main engines 2x Caterpillar, type C32 TTA
Output 2410 bhp at 2000 rpm

Gearbox Reintjes, type VWVS 440/I (two speed)

Speed ± 24 knots sprint speed

± 22 knots cruising speed

Bow thruster 2x 50 kW

Deck crane Heila, type HLM 20-2S, cap. 2.2 tonnes at 8.5 m

Deck strength 1.5 t/m²
Deck carrying capacity 15 tonnes
Clear deck space 90 m²

Main generator set 2x Caterpillar, type C2.2 T Output 2x 28 kVA, 50 Hz, 230/400V

Fuel oil separator Separ SWK 2000

Tank capacities Fuel oil 22.50 m³

 Fresh water
 2x 2.00 m³

 Dirty oil
 0.34 m³

 Sewage
 0.50 m³

Passenger capacity For 50 persons.

Heated and air-conditioned passenger salon with suspense persons complete with work tables and UK & Euro 230 V sockets. Galley with

all amenities and a heads compartment with shower. Crew sleeping accommodation for five, in three cabins.

Nav./comm. equipment Magnetic compass, satellite compass, radar, GPS, autopilot, AIS,

echosounder, VHF, SSB, DSC, Navtex


Class Bureau Veritas I MHull •MACH Light Ship/Fast Utility Vessel Sea


Area 3

MCA Category 1










© Damen Trading & Chartering (DT&C). Unauthorized use and/or duplication of this material without express and written permission from DT&C is strictly prohibited. Excerpts and links may be used, provided that full and clear credit is given to DT&C with appropriate and specific direction to the original content.












DAMEN FAST CREW SUPPLIER 2610



© Damen Trading & Chartering (DT&C). Unauthorized use and/or duplication of this material without express and written permission from DT&C is strictly prohibited. Excerpts and links may be used, provided that full and clear credit is given to DT&C with appropriate and specific direction to the original content.