

FAST FERRY 4212

Full specification

FAST FERRY 4212

About this vessel type

Damen's Fast Ferries are known for their quality, reliability and efficiency. We understand that ferries are often the only way of keeping connected, and that they function as genuine lifelines for islands and remote areas. Our designs focus on passenger comfort, high operability and predictable maintenance.

The Damen Fast Ferry 4212 is a high-speed aluminium catamaran, designed for coastal operations aiming at high passenger comfort, low fuel consumption and low maintenance costs.



General



Built 2018

Dimensions 42.20 x 11.60 x 3.80 mtrs

Draft 1.50 mtr

Material Aluminium both hull and

superstructure

Significant wave height 2.38 mtrs



General



Vessel is equipped with two gangways.

One on main deck, one on top deck.

(the large gangway on the image is not part of the vessel)



General







Acces to the vessel








Side view















Small RHIB at the side








SB side





Top deck seats







Storage





Bridge




Navigation and communication equipment according to HSC Code 2000 and GMDSS A2, including: X-Band radar, S-Band radar, Gyro compass, ECDIS chart plotter, VDR

Bureau Veritas 1 №HULL №MACH High Speed Craft – CAT A Sea Area 2 №AUT-UMS IMO High Speed Craft Code 2000



Bridge







Premium passenger area



Seating capacity main deck

Seating capacity upper deck

Total passenger capacity

286

410

Crew capacity 5
Bar/kiosk on main deck and upper deck
Toilets 7x
Air-conditioning with temperature control.




Premium passenger area








Passenger area








Passenger area







Engine room



4x Caterpillar, type C32

2984 bkW @ 1600-1800 rpm

4x Reintjes gearboxes, type WLS 730


































Generator sets



2x Caterpillar, type C4.4

2x 86 ekW

400V / 230V AC, 3 phase, 50 Hz, 24V DC



Propulsion




4x KaMeWa waterjets, type A56II

± 28 knots max. at 26 tons deadweight



Tank arrangement



Fuel oil 14.0 m³

Sewage 2.5 m³

Fresh water 2.5 m³

Bilge 0.3 m³



Unique features

>>> High passenger comfort


A lot of attention has been paid to the spaces and seats on board, to ensure the passenger's comfort is at a high level. The journey should not only be safe but also a pleasure.

>>> We never compromise on safety


Damen never compromises on safety. Our Fast Ferries embody the highest safety standards. And although designed for speed and efficiency, they still have excellent seakeeping abilities.

Low fuel consumption

The design of the vessel in combination with the installed machinery was carefully chosen to keep fuel consumption low, ensuring a positive effect on operational costs.







DAMEN TRADING

Our team



Michel Radjiman Senior Sales Manager Working with Damen Trading since 1997



Michiel Dijxhoorn Sales Manager Working with Damen since 2012



Petra BuskensSales Assistant
Working with Damen Trading since 1992





